



NMMS.E172143 Power Conversion Equipment

[Page Bottom](#)

Power Conversion Equipment

[See General Information for Power Conversion Equipment](#)**EATON INDUSTRIES GMBH**

7-11 Hein-moeller-str.
53115 Bonn, GERMANY

E172143

Trademark and/or Tradename:  **EATON**, **MOELLER**  **EATON** Powering Business Worldwide

Investigated to ANSI/UL 508C**Accessories** Model(s) DE4-KEY-2

Accessory Model(s) DX-NET-SWD1, DX-NET-SWD3, DX-NET-ETHERNET-2, DX-NET-BACNETIP-2, DX-NET-PROFINET-2, DX-NET-PROFIBUS, DX-NET-MODBUSTCP-2, DX-NET-DEVICENET, DX-COM-PCKIT, DXA-EXT-ENCOD, DXC-EXT-LOCSIM, DX-CBL-TERM, DX-CBL-RJ45-0M5, DX-CBL-RJ45-1M0, DX-CBL-RJ45-3M0, DX-SPL-RJ45-3SL, DX-SPL-RJ45-2SL1PL, DX-KEY-OLED, DX-KEY-LED, DX-EXT-ENDAT

DX-NET-SWD1, DX-NET-SWD3, DX-NET-ETHERNET-2, DX-NET-BACNETIP-2, DX-NET-PROFINET-2, DX-NET-PROFIBUS, DX-NET-MODBUSTCP-2, DX-NET-DEVICENET, DX-COM-PCKIT, DXA-EXT-ENCOD, DXC-EXT-LOCSIM, DX-CBL-TERM, DX-CBL-RJ45-0M5, DX-CBL-RJ45-1M0, DX-CBL-RJ45-3M0, DX-SPL-RJ45-3SL, DX-SPL-RJ45-2SL1PL, DX-KEY-OLED, DX-KEY-LED, DX-EXT-ENDAT

DXA-EXT-3DI1RO, DXA-EXT-3RO

Brake units Model(s) DE4-BU4-1

Enclosed type power conversion equipment Model(s) DA1-32018FB-A6SC, DA1-32018FB-A6SN, DA1-32018FB-B6SC, DA1-32018FB-B6SN, DA1-32024FB-A55C, DA1-32024FB-A55N, DA1-32024FB-B55C, DA1-32024FB-B55N, DA1-32039FB-A55C, DA1-32039FB-A55N, DA1-32039FB-B55C, DA1-32039FB-B55N, DA1-32046FB-A55C, DA1-32046FB-A55N, DA1-32046FB-B55C, DA1-32046FB-B55N, DA1-32061FB-A55C, DA1-32061FB-A55N, DA1-32061FB-B55C, DA1-32061FB-B55N, DA1-32072FB-A55C, DA1-32072FB-A55N, DA1-32072FB-B55C, DA1-32072FB-B55N, DA1-32090FB-A55C, DA1-32090FB-A55N, DA1-32090FB-B55C, DA1-32090FB-B55N, DA1-32090FN-A55C, DA1-32090FN-A55N, DA1-32090FN-B55C, DA1-32090FN-B55N, DA1-32110FB-A55C, DA1-32110FB-A55N, DA1-32110FB-B55C, DA1-32110FB-B55N, DA1-32110FN-A55C, DA1-32110FN-A55N, DA1-32110FN-B55C, DA1-32110FN-B55N, DA1-32150FB-A55C, DA1-32150FB-A55N, DA1-32150FB-B55C, DA1-32150FB-B55N, DA1-32150FN-A55C, DA1-32150FN-A55N, DA1-32150FN-B55C, DA1-32150FN-B55N, DA1-32180FB-A55C, DA1-32180FB-A55N, DA1-32180FB-B55C, DA1-32180FB-B55N, DA1-32202FB-A55C, DA1-32202FB-A55N, DA1-32202FB-B55C, DA1-32202FB-B55N, DA1-32202FN-A55C, DA1-32202FN-A55N, DA1-32202FN-B55C, DA1-32202FN-B55N, DA1-32248FB-A55C, DA1-32248FB-A55N, DA1-32248FB-B55C, DA1-32248FB-B55N, DA1-32248FN-A55C, DA1-32248FN-A55N, DA1-32248FN-B55C, DA1-32248FN-B55N, DA1-34014FB-A6SN, DA1-34014FB-A6SN, DA1-34014FB-B6SC, DA1-34014FB-B6SN, DA1-34018FB-A6SN, DA1-34018FB-A6SN, DA1-34018FB-B6SC, DA1-34018FB-B6SN, DA1-34024FB-A55C, DA1-34024FB-A55N, DA1-34024FB-B55C, DA1-34024FB-B55N, DA1-34030FB-A55C, DA1-34030FB-A55N, DA1-34030FB-B55C, DA1-34030FB-B55N, DA1-34039FB-A55C, DA1-34039FB-A55N, DA1-34039FB-B55C, DA1-34039FB-B55N, DA1-34046FB-A55C, DA1-34046FB-A55N, DA1-34046FB-B55C, DA1-34046FB-B55N, DA1-34061FB-A55C, DA1-34061FB-A55N, DA1-34061FB-B55C, DA1-34061FB-B55N, DA1-34072FB-A55C, DA1-34072FB-A55N, DA1-34072FB-B55C, DA1-34072FB-B55N, DA1-34090FB-A55C, DA1-34090FB-A55N, DA1-34090FB-B55C, DA1-34090FB-B55N, DA1-34090FN-A55C, DA1-34090FN-A55N, DA1-34090FN-B55C, DA1-34090FN-B55N, DA1-34110FB-A55C, DA1-34110FB-A55N, DA1-34110FB-B55C, DA1-34110FB-B55N, DA1-34110FN-A55C, DA1-34110FN-A55N, DA1-34110FN-B55C, DA1-34110FN-B55N, DA1-34150FB-A55C, DA1-34150FB-A55N, DA1-34150FB-B55C, DA1-34150FB-B55N, DA1-34150FN-A55C, DA1-34150FN-A55N, DA1-34150FN-B55C, DA1-34150FN-B55N, DA1-34180FB-A55C, DA1-34180FB-A55N, DA1-34180FB-B55C, DA1-34180FB-B55N, DA1-34180FN-A55C, DA1-34180FN-A55N, DA1-34180FN-B55C, DA1-34180FN-B55N, DA1-34202FB-A55C, DA1-34202FB-A55N, DA1-34202FB-B55C, DA1-34202FB-B55N, DA1-34202FN-A55C, DA1-34202FN-A55N, DA1-34202FN-B55C, DA1-34202FN-B55N, DA1-34240FB-A55C, DA1-34240FB-A55N, DA1-34240FB-B55C, DA1-34240FB-B55N, DA1-34240FN-A55C, DA1-34240FN-A55N, DA1-34240FN-B55C, DA1-34240FN-B55N, DA1-342D2FB-A6SC, DA1-342D2FB-A6SN, DA1-342D2FB-B6SC, DA1-342D2FB-B6SN, DA1-34302FB-A55C, DA1-34302FB-A55N, DA1-34302FB-B55C, DA1-34302FB-B55N, DA1-34302FN-A55C, DA1-34302FN-A55N, DA1-34302FN-B55C, DA1-34302FN-B55N, DA1-344D1FB-A6SC, DA1-344D1FB-A6SN, DA1-344D1FB-B6SC, DA1-344D1FB-B6SN, DA1-345D8FB-A6SC, DA1-345D8FB-A6SN, DA1-345D8FB-B6SC, DA1-345D8FB-B6SN, DA1-349D5FB-A6SC, DA1-349D5FB-A6SN, DA1-349D5FB-B6SC, DA1-349D5FB-B6SN

DA1-35022NB-A55C, DA1-35022NB-A55N, DA1-35022NB-B55C, DA1-35022NB-B55N

DA1-35028NB-A55C, DA1-35028NB-A55N, DA1-35028NB-B55C, DA1-35028NB-B55N

DA1-35034NB-A55C, DA1-35034NB-A55N, DA1-35034NB-B55C, DA1-35034NB-B55N

DA1-35043NB-A55C, DA1-35043NB-A55N, DA1-35043NB-B55C, DA1-35043NB-B55N

DA1-35054NB-A55C, DA1-35054NB-A55N, DA1-35054NB-B55C, DA1-35054NB-B55N

DA1-35065NB-A55C, DA1-35065NB-A55N, DA1-35065NB-B55C, DA1-35065NB-B55N

DA1-35078NN-A55C, DA1-35078NN-A55N, DA1-35078NN-B55C, DA1-35078NN-B55N, DA1-35078NB-A55C, DA1-35078NB-A55N, DA1-35078NB-B55C, DA1-35078NB-B55N

DA1-35105NN-A55C, DA1-35105NN-A55N, DA1-35105NN-B55C, DA1-35105NN-B55N, DA1-35105NB-A55C, DA1-35105NB-A55N, DA1-35105NB-B55C, DA1-35105NB-B55N

DA1-35130NB-A55C, DA1-35130NB-A55N, DA1-35130NB-B55C, DA1-35130NB-B55N

DA1-35130NN-A55C, DA1-35130NN-A55N, DA1-35130NN-B55C, DA1-35130NN-B55N

DA1-35150NB-A55C, DA1-35150NB-A55N, DA1-35150NB-B55C, DA1-35150NB-B55N

DA1-35150NN-A55C, DA1-35150NN-A55N, DA1-35150NN-B55C, DA1-35150NN-B55N

Logic Input Modules Model(s) DXC-EXT-IO110, DXC-EXT-IO230

Open and Enclosed type 4X power conversion equipment Model(s) DA1-12011FB-A20C, DA1-12011FB-A20N, DA1-12011FB-A66C, DA1-12011FB-A66N, DA1-12011FB-A6SC, DA1-12011FB-A6SN, DA1-12011FB-B66C, DA1-12011FB-B66N, DA1-12011FB-B6SC, DA1-12011FB-B6SN, DA1-124D3FB-A20C, DA1-124D3FB-A20N, DA1-124D3FB-A66C, DA1-124D3FB-A66N, DA1-124D3FB-A6SC, DA1-124D3FB-A6SN, DA1-124D3FB-B66C, DA1-124D3FB-B66N, DA1-124D3FB-B6SC, DA1-124D3FB-B6SN, DA1-127D0FB-A20C, DA1-127D0FB-A20N, DA1-127D0FB-A66C, DA1-127D0FB-A66N, DA1-127D0FB-A6SC, DA1-127D0FB-A6SN, DA1-127D0FB-B66C, DA1-127D0FB-B66N, DA1-127D0FB-B6SC, DA1-127D0FB-B6SN, DA1-32011FB-A20C, DA1-32011FB-A20N, DA1-32011FB-A66C, DA1-32011FB-A66N, DA1-32011FB-A6SC, DA1-32011FB-A6SN, DA1-32011FB-B66C, DA1-32011FB-B66N, DA1-32011FB-B6SC, DA1-32011FB-B6SN, DA1-32018FB-A20C, DA1-32018FB-A20N, DA1-32018FB-A66C, DA1-32018FB-A66N, DA1-32018FB-B66C, DA1-32018FB-B66N, DA1-32024FB-A20C, DA1-32024FB-A20N, DA1-324D3FB-A20C, DA1-324D3FB-A20N, DA1-324D3FB-A66C, DA1-324D3FB-A66N, DA1-324D3FB-A6SC, DA1-324D3FB-A6SN, DA1-324D3FB-B66C, DA1-324D3FB-B66N, DA1-324D3FB-B6SC, DA1-324D3FB-B6SN, DA1-327D0FB-A20C, DA1-327D0FB-A20N, DA1-327D0FB-A66C, DA1-327D0FB-A66N, DA1-327D0FB-A6SC, DA1-327D0FB-A6SN, DA1-327D0FB-B66C, DA1-327D0FB-B66N, DA1-327D0FB-B6SC, DA1-327D0FB-B6SN, DA1-34014FB-A20C, DA1-34014FB-A20N, DA1-34014FB-A66C, DA1-34014FB-A66N, DA1-34014FB-B66C, DA1-34014FB-B66N, DA1-34018FB-A20C, DA1-34018FB-A20N, DA1-34018FB-A66C, DA1-34018FB-A66N, DA1-34018FB-B66C, DA1-34018FB-B66N, DA1-34024FB-A20C, DA1-34024FB-A20N, DA1-342D2FB-A20C, DA1-342D2FB-A20N, DA1-342D2FB-A66C, DA1-342D2FB-A66N, DA1-342D2FB-B66C, DA1-342D2FB-B66N, DA1-344D1FB-A20C, DA1-344D1FB-A20N, DA1-344D1FB-A66C, DA1-344D1FB-A66N, DA1-344D1FB-B66C, DA1-344D1FB-B66N, DA1-345D8FB-A20C, DA1-345D8FB-A20N, DA1-345D8FB-A66C, DA1-345D8FB-A66N, DA1-345D8FB-B66C, DA1-345D8FB-B66N, DA1-349D5FB-A20C, DA1-349D5FB-A20N, DA1-349D5FB-A66C, DA1-349D5FB-A66N, DA1-349D5FB-B66C, DA1-349D5FB-B66N

Open type and enclosed type 12K & type 4X power conversion equipment, Frame Size 1 Model(s) DC1-122D3FN-A20N, DC1-122D3FN-A66N, DC1-122D3FN-A6SN, DC1-122D3NN-A20N, DC1-122D3NN-A66N, DC1-122D3NN-A6SN, DC1-124D3FN-A20N, DC1-124D3FN-A66N, DC1-124D3FN-A6SN, DC1-124D3NN-A20N, DC1-124D3NN-A66N, DC1-124D3NN-A6SN, DC1-127D0FN-A20N, DC1-127D0FN-A66N, DC1-127D0FN-A6SN, DC1-127D0NN-A20N, DC1-127D0NN-A66N, DC1-127D0NN-A6SN, DC1-322D3NN-A20N, DC1-322D3NN-A66N, DC1-322D3NN-A6SN, DC1-324D3NN-A20N, DC1-324D3NN-A66N, DC1-324D3NN-A6SN, DC1-327D0NN-A20N, DC1-327D0NN-A66N, DC1-327D0NN-A6SN, DC1-342D2FN-A20N, DC1-342D2FN-A66N, DC1-342D2FN-A6SN, DC1-342D2NN-A20N, DC1-342D2NN-A66N, DC1-342D2NN-A6SN, DC1-344D1FN-A20N, DC1-344D1FN-A66N, DC1-344D1FN-A6SN, DC1-344D1NN-A20N, DC1-344D1NN-A66N, DC1-344D1NN-A6SN, DC1-S24D3FN-A20N, DC1-S24D3FN-A66N, DC1-S24D3FN-A6SN, DC1-S24D3NN-A20N, DC1-S24D3NN-A66N, DC1-S24D3NN-A6SN, DC1-S27D0FN-A20N, DC1-S27D0FN-A66N, DC1-S27D0FN-A6SN, DC1-S27D0NN-A20N, DC1-S27D0NN-A66N, DC1-S27D0NN-A6SN

Open type and enclosed type 12K & type 4X power conversion equipment, Frame Size 2 Model(s) DC1-12011FB-A20N, DC1-12011FB-A66N, DC1-12011FB-A6SN, DC1-12011NB-A20N, DC1-12011NB-A66N, DC1-12011NB-A6SN, DC1-127D0FB-A20N, DC1-127D0FB-A66N, DC1-127D0FB-A6SN, DC1-127D0NB-A20N, DC1-127D0NB-A66N, DC1-127D0NB-A6SN, DC1-1D2D3NN-A20N, DC1-1D2D3NN-A66N, DC1-1D2D3NN-A6SN, DC1-1D4D3NN-A20N, DC1-1D4D3NN-A66N, DC1-1D4D3NN-A6SN, DC1-1D5D8NB-A20N, DC1-1D5D8NB-A66N, DC1-1D5D8NB-A6SN, DC1-32011FB-A20N, DC1-32011FB-A66N, DC1-32011FB-A6SN, DC1-32011NB-A20N, DC1-32011NB-A66N, DC1-32011NB-A6SN, DC1-327D0FB-A20N, DC1-327D0FB-A66N, DC1-327D0FB-A6SN, DC1-327D0NB-A20N, DC1-327D0NB-A66N, DC1-327D0NB-A6SN, DC1-344D1FB-A20N, DC1-344D1FB-A66N, DC1-344D1NB-A20N, DC1-344D1NB-A66N, DC1-344D1NB-A6SN, DC1-345D8FB-A20N, DC1-345D8FB-A66N, DC1-345D8FB-A6SN, DC1-345D8NB-A20N, DC1-345D8NB-A66N, DC1-345D8NB-A6SN, DC1-349D5FB-A20N, DC1-349D5FB-A66N, DC1-349D5FB-A6SN, DC1-349D5NB-A20N, DC1-349D5NB-A66N, DC1-349D5NB-A6SN, DC1-S1011NB-A20N, DC1-S1011NB-A66N, DC1-S1011NB-A6SN, DC1-S1011NB-A6SN, DC1-S17D0NN-A20N, DC1-S17D0NN-A66N, DC1-S17D0NN-A6SN, DC1-S2011FB-A20N, DC1-S2011FB-A66N, DC1-S2011FB-A6SN, DC1-S2011NB-A20N, DC1-S2011NB-A66N, DC1-S2011NB-A6SN

Open type and enclosed type 12K & type 4X power conversion equipment, Frame Size 3 Model(s) DC1-12016NB-A20N, DC1-12016NB-A66N, DC1-12016NB-A6SN, DC1-32018FB-A20N, DC1-32018FB-A66N, DC1-32018FB-A6SN, DC1-32018NB-A20N, DC1-32018NB-A66N, DC1-32018NB-A6SN, DC1-34014FB-A20N, DC1-34014FB-A66N, DC1-34014FB-A6SN, DC1-34014NB-A20N, DC1-34014NB-A66N, DC1-34014NB-A6SN, DC1-34018FB-A20N, DC1-34018FB-A66N, DC1-34018FB-A6SN, DC1-34018NB-A20N, DC1-34018NB-A66N, DC1-34018NB-A6SN, DC1-34024FB-A20N, DC1-34024NB-A20N

Open Type Relay Model(s) DXA-EXT-3RO, DXC-EXT-2RO

Open type, AC Drive Model(s) DA1-35012NB-A20C, DA1-35012NB-A20N, DA1-35012NB-A66C, DA1-35012NB-A66N, DA1-35012NB-B66C, DA1-35012NB-B66N, DA1-35012NB-A6SC, DA1-35012NB-A6SN, DA1-35012NB-B6SC, DA1-35012NB-B6SN

DA1-35017NB-A20C, DA1-35017NB-A20N, DA1-35017NB-A66C, DA1-35017NB-A66N, DA1-35017NB-B66C, DA1-35017NB-B66N, DA1-35017NB-A6SC, DA1-35017NB-A6SN, DA1-35017NB-B6SC, DA1-35017NB-B6SN, DA1-35022NB-A20C, DA1-35022NB-A20N

DA1-352D1NB-A20C, DA1-352D1NB-A20N, DA1-352D1NB-A66C, DA1-352D1NB-A66N, DA1-352D1NB-B66C, DA1-352D1NB-B66N, DA1-352D1NB-A6SC, DA1-352D1NB-A6SN, DA1-352D1NB-B6SC, DA1-352D1NB-B6SN

DA1-353D1NB-A20C, DA1-353D1NB-A20N, DA1-353D1NB-A66C, DA1-353D1NB-A66N, DA1-353D1NB-B66C, DA1-353D1NB-B66N, DA1-353D1NB-A6SC, DA1-353D1NB-A6SN, DA1-353D1NB-B6SC, DA1-353D1NB-B6SN

DA1-354D1NB-A20C, DA1-354D1NB-A20N, DA1-354D1NB-A66N, DA1-354D1NB-B66C, DA1-354D1NB-B66N, DA1-354D1NB-A6SC, DA1-354D1NB-A6SN, DA1-354D1NB-B6SC, DA1-354D1NB-B6SN

DA1-356D5NB-A20C, DA1-356D5NB-A20N, DA1-356D5NB-A66C, DA1-356D5NB-A66N, DA1-356D5NB-B66C, DA1-356D5NB-B66N, DA1-356D5NB-

A6SC, DA1-356D5NB-A6SN, DA1-356D5NB-B6SC, DA1-356D5NB-B6SN

DA1-359D0NB-A20C, DA1-359D0NB-A20N, DA1-359D0NB-A66C, DA1-359D0NB-A66N, DA1-359D0NB-B66C, DA1-359D0NB-B66N, DA1-359D0NB-A6SC, DA1-359D0NB-A6SN, DA1-359D0NB-B6SC, DA1-359D0NB-B6SN

Power conversion equipment Model(s) DF-340-037, DF-340-075, DF-340-1K5, DF-340-2K2, DF-340-3K0, DF-340-4K0, DF-340-5K5, DF-340-7K5, DF5-320-4K0, DF5-320-5K5, DF5-320-7K5, DF5-322-018, DF5-322-037, DF5-322-055, DF5-322-075, DF5-322-1K1, DF5-322-1K5, DF5-322-2K2, DF6-320-11K, DF6-340-110K, DF6-340-11K, DF6-340-132K, DF6-340-15K, DF6-340-18K5, DF6-340-22K, DF6-340-30K, DF6-340-37K, DF6-340-45K, DF6-340-55K, DF6-340-75K, DF6-340-90K, DV6-340-075, DV6-340-110K, DV6-340-11K, DV6-340-132K, DV6-340-15K, DV6-340-15K5, DV6-340-1K5, DV6-340-22K, DV6-340-2K2, DV6-340-30K, DV6-340-37K, DV6-340-45K, DV6-340-4K0, DV6-340-55K, DV6-340-5K5, DV6-340-75K, DV6-340-7K5, DV6-340-90K

Power conversion equipment, enclosed type Model(s) DF4-341-15K, DF4-341-22K

Power conversion equipment, open type Model(s) DF51-322-025, DF51-322-037, DF51-322-055, DF51-322-075, DF51-322-1K1, DF51-322-1K5, DF51-322-2K2, DF51-322-4K0, DF51-322-5K5, DF51-322-7K5, DF51-340-037, DF51-340-075, DF51-340-1K5, DF51-340-2K2, DF51-340-3K0, DF51-340-4K0, DF51-340-5K5, DF51-340-7K5, DV5-322-018, DV5-322-037, DV5-322-055, DV5-322-075, DV5-322-1K1, DV5-322-1K5, DV5-322-2K2, DV5-340-037, DV5-340-075, DV5-340-1K5, DV5-340-2K2, DV5-340-3K0, DV5-340-4K0, DV5-340-5K5, DV5-340-7K5, DV51-322-025, DV51-322-037, DV51-322-055, DV51-322-075, DV51-322-1K1, DV51-322-1K5, DV51-322-2K2, DV51-322-4K0, DV51-322-5K5, DV51-322-7K5, DV51-340-075, DV51-340-1K1, DV51-340-2K2, DV51-340-3K0, DV51-340-4K0, DV51-340-5K5, DV51-340-7K5

Solid-state variable speed AC motor controllers, open type, 1 or 3 phase Model(s) DV4-120-025, DV4-120-037, DV4-322-055, DV4-322-075, DV4-322-1K5, DV4-322-2K2, DV4-340-055, DV4-340-075, DV4-340-1K1, DV4-340-2K2

Investigated to UL 61800-5-1

Accessory Open type Model(s) DXE-EXT-SET

Open type, AC Drive Model(s) DE1-121D4XN-N20N [+], DE1-122D3XN-N20N [+], DE1-122D7XN-N20N [+], DE1-124DD3XN-N20N [+], DE1-127D0XN-N20N [+], DE1-129D6XN-N20N [+], DE1-34011XN-N20N [+], DE1-34016XN-N20N [+], DE1-341D3XN-N20N [+], DE1-342D1XN-N20N [+], DE1-343D6XN-N20N [+], DE1-345D0XN-N20N [+], DE1-346D6XN-N20N [+], DE1-348D5XN-N20N [+]

Note - (1) Number in parentheses () are optional. (2) Where x represents either 3 or blank. (3) Where y is filter type; where z is enclosure type. (4) Where X=type 4X un-switched, Y=type 4X switched. (5) All products may be preceded by any combination of up to three characters (excluding letters C, E and F) and/or followed by any combination of up to three characters.

X - Either ODP or ODV

[+] - X will be either "F" or "N"

Last Updated on 2014-10-01

[Questions?](#)

[Print this page](#)

[Terms of Use](#)

[Page Top](#)

© 2014 UL LLC

When the UL Leaf Mark is on the product, or when the word "Environment" is included in the UL Mark, please search the [UL Environment database](#) for additional information regarding this product's certification.

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2014 UL LLC".